



Scoresheet for the Verbands-Gebrauchsprüfung (VGP)

Organizing club: Deutsch Kurzhaar Group North America (DKGNA) Club nr.: 2240

Test location (city, state): Walla Walla, WA USA

Handler: Frank O'Leary Postal code: 99362 City of residence: Walla Walla, WA USA

Name of the dog: Wren vom Trocken Bach Whelp date: 28.04.2019 Male Female

Breed: Deutsch Kurzhaar ZB-Nr.: 0770/19 DGStB-Nr.:

Mother: Maggie KS vom Trocken Bach ZB-Nr.: 0139/14 DGStB-Nr.: 67978/1

Father: Etzel vom Thüringer Zipfel ZB-Nr.: 1172/10 DGStB-Nr.: 62969/1

Table I: Forest work. Columns: Working points, Multiplier, Total score. Rows include Leash work, Dead game baying, Retrieving fox, Fox drag, Hare or rabbit drag, etc. Total points forest work: 95.

Table III: Field work. Columns: Working points, Multiplier, Total score. Rows include Use of nose, Search, Pointing, Manners and relocating on game, etc. Total points field work: 90.

Table II: Water work. Columns: Working points, Multiplier, Total score. Rows include Independent search w/o duck, Blind retrieve, etc. Total points water work: 44.

Table IV: Obedience. Columns: Working points, Multiplier, Total score. Rows include General behavior, Heeling on leash, Down stay, etc. Total points obedience: 43. Total points I-IV: 272.

Gun stable at water work: Yes No

Hardness certificate submitted to the registry office (Stammbuchamt) Yes No

Conformation: Coat:

only from available breed show results)

Assessment of temperament and behavior

- Self-confidence: confident, jumpy/insecure, fearful. Compatibility: socially compatible, aggressive toward humans, aggressive toward other dogs. Other: hand-shy, game-shy.

Physical faults (Bite-, Testicular-, Eye faults):

Comments:

III Prize with overnight track with day track

Did not pass - Reason for failure (describe in words):

Signatures and names of Test Director (KALTENEGGER), Senior Judge (RO), Judge (PEADLEY), and another Judge (KALTENEGGER) with their respective VR-Nr. (2233-0026, 2233-0030, 2233-0037, 2233-0026).

Scores: Excellent = 4h | very good = 4 | good = 3 | sufficient = 2 | poor = 1 | not sufficient = 0 | not tested = -

Reprints, also extracts as well as processing in electronic systems only with the permission of the JGHV

vom JGHV autorisiert